APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/002,416	11/01/2001	William John Goetzinger	ROC920010204US1	2592

7590   02/14/2006

Leslie J. Payne
IBM Corporation - Dept. 917
3605 Highway 52 North
Rochester, MN 55901

EXAMINER
MERED, HABTE

ART UNIT	PAPER NUMBER
2662	

DATE MAILED: 02/14/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)
Office Action Summary		10/002,416	GOETZINGER ET AL.
		Examiner	Art Unit	
		Habte Mered	2662	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on <u>28 November 2005</u>.

2a)☒ This action is **FINAL**.   2b)☐ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) <u>1-20</u> is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) <u>1-20</u> is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on <u>01 November 2001</u> is/are: a)☒ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☐ All   b)☐ Some * c)☐ None of:

      1.☐ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1)☐ Notice of References Cited (PTO-892)

2)☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3)☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>08/29,09/09,09/12</u>.

4)☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.

5)☐ Notice of Informal Patent Application (PTO-152)

6)☐ Other: _____.

DETAILED ACTION

1.   The amendment filed on 28 November 2005 has been entered and fully

considered.

2.   Claims 1-20 are pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

3.   **Claims 1-8 and 12-19** are rejected under 35 U.S.C. 103(a) as being

unpatentable over Chao et al (US 6, 081, 507), hereinafter referred to as Chao, in view

of Duckering et al (US 6, 721, 325), hereinafter referred to as Duckering.

Chao teaches methods and apparatus for handling time stamp aging. Chao

teaches how time stamp aging is detected and consequently marking the obsolete time

stamp for purging in systems employing fair packet queuing algorithms.

4.   Regarding **claims 1 and 19**, Chao discloses a scheduling method for

implementing Quality-of-Service (QoS) scheduling of a plurality of flows **(Column 1,**

Lines 15-20) with aging time stamps **(Column 18, Lines 28-42)** comprising the steps

of:

sequentially accessing a subset of time stamp data from a time stamp aging

memory array; each time stamp data subset containing time stamp data for a sub

plurality of flows; **(Column 18, Lines 28-42; Column 36, Lines 16-18; and Column 37, Lines 5-12; The lookup table in Chao's system is the time stamp aging memory array. See also Column 35, Lines 20-32 and Column 36, Lines 11-17.)**

performing guaranteed aging processing steps for each flow utilizing the time stamp data subsets to identify and mark invalid calendar next time values **(Column 18, Lines 55-67; F_i is the calendar next time value for the i + 1 flow in Chao's system)**,

identifying a new frame arrival for an empty flow **(Figure 17, step 1740; Column 23, 1-20; Chao further shows in equation 14 that his system can differentiate between an empty and a non-empty flow)** and accessing time stamp data from a flow queue control block (FQCB) for the flow **(Figure 33 shows the time stamp aging memory (i.e. lookup table) and a flow control block for each flow as well as the flow time stamp. Column 36, Lines 60-67)** and the flow time stamp data in the time stamp aging memory array **(Column 18, Lines 26-41)**;

responsive to the identified new frame arrival for the empty flow, checking a selection indicator of the time stamp aging memory array data to identify the target calendar for attaching the flow; **(Chao's system is capable of identifying an empty flow and the arrival of a frame to such a flow as indicated in Figure 17, step 1740 and Column 23, Lines 1-20 and equation 14. In Chao's system the time stamp aging memory array is always accessed to read the target calendar (i.e. F_i). The selection indicator is inherent to Chao's system because his system supports different flows with different QoS and shaper-schedulers with different**

target calendar maintain these flows. See Column 13, Lines 15-21 and Column 15, Lines 40-45. This indication along with any information deemed important to the session can be stored in the time stamp aging memory array. Column 18, Lines 35-37)

responsive to the selection indicator value, checking a target calendar next time valid bit of the time stamp aging memory array data for the flow **(Column 35, Lines 20-32)**;

responsive to the target calendar next time valid bit being on, comparing a target calendar next time from the flow queue control block (FQCB) for the flow with a current time**(In Chao's system the obsolete bit (See O_i in Figure 33) is the next time valid bit and if the calendar next time is not obsolete then it will be compared with current time. Column 36, Lines 53-67)**;

responsive to the target calendar next time being less than the current time, turning off the target calendar next time valid bit to mark the target calendar next time as invalid. **(Column 35, Lines 50-67 and Column 36, Lines 53-67, and Figure 33)**

Chao discloses each flow being attached to a calendar queue as illustrated in Figures 14 as well as in Column 20, Lines 65-67 and in Figure 27 as well as Column 31, Lines 17-38. However, Chao fails to expressly disclose that each flow being attached to at least one of a plurality of calendars including a low latency service (LLS)/normal latency service (NLS), a peak bandwidth service (PBS) and a weighted fair queue (WFQ) ring; the LLS, NLS, and PBS calendars being time based; the weighted fair queue (WFQ) ring being weight based.

Duckering discloses a fair scheduling of multiple service classes with prioritized shaping. Duckering discloses an apparatus for scheduling a multi-service category ATM cell traffic through contention points in an ATM network is provided.

Duckering discloses that each flow being attached to at least one of a plurality of calendars including a low latency service (LLS)/normal latency service (NLS), a peak bandwidth service (PBS) and a weighted fair queue (WFQ) ring; the LLS, NLS, and PBS calendars being time based; the weighted fair queue (WFQ) ring being weight based. **(First PBS, NLS, and LLS are simply quality of services that reflect traffic type, service category, and delay requirements for a particular Quality of Service. Duckering discloses the different quality of services that match PBS, NLS, and LLS and that are widely used in the art. Duckering further discloses traffic shapers using calendars based on these quality of services and also a WFQ calendar. See Figures 1, 2, and 3 and Column 4, Lines 1-35 and 57-67 and Column 5, Lines 10-21.)**

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Chao's apparatus to incorporate a method of attaching to different calendars based on different QoS. The motivation is to provide different level of services with guaranteed QoS for each level while maintaining some form of fairness which is the issue addressed by both Chao **(Column 13, Lines 15-21 and Column 15, Lines 40-45)** and Duckering **(Column 3, Lines 5-30)**. Further motivation is that Chao discloses a "calendar queue" method in Column 16, in Lines 24-26 but

does not elaborate what the method entails while Duckering the method of constructing

a calendar queue can be based on time and weight.

5.   Regarding **claim 2**, Chao discloses a scheduling method for implementing

Quality-of-Service (QoS) scheduling of a plurality of flows with aging time stamps

includes the steps of storing time stamp data for each flow in the flow queue control

block (FQCB) and in the time stamp aging memory array **(Figure 33 shows the stamp**

aging memory array (i.e. lookup table) with a flow queue control block. See also

Column 18, Lines 16-41 and Column 36, Lines 60-67); the flow queue control block

(FQCB) for each flow stored in external static random access memory (SRAM) and the

time stamp aging memory array stored in an internal scheduler memory array. **(Chao**

shows his is an improvement over previous systems internal memory on the chip

housing the scheduler and his system uses off-chip memory. See Column 16,

Lines 55-63)

6.   Regarding **claim 3**, Chao discloses a scheduling method for implementing

Quality-of-Service (QoS) scheduling of a plurality of flows with aging time stamps

wherein the steps of storing time stamp data includes the steps of: identifying a flow for

servicing on a calendar and dispatching a frame from the identified flow **(Figure 17,**

step 1710; Column 22, Lines 47-62);

calculating a calendar next time value for the identified flow **(Column 18, Lines 37-42)**;

and storing the calendar next time value for the identified flow in the flow queue control

block (FQCB) for the identified flow **(Column 18, Lines 28-32 and Figure 33)**; and

storing time stamp data in the time stamp aging memory array**(Column 18, Lines 28-32**

and Figure 33); the stored time stamp data in the time stamp aging memory array

including at least a portion of the calendar next time value; the selection indicator and

the calendar valid bit set to mark the calendar next time as valid. **(Column 36, Lines**

60-67 and Figure 33)

7.   Regarding **claim 4**, Chao discloses a scheduling method for implementing

Quality-of-Service (QoS) scheduling of a plurality of flows with aging time stamps

wherein the guaranteed aging processing steps for each flow in the time stamp data

subset include the steps of: checking the selection indicator, the selection indicator

indicating a calendar **(A system like Chao's that supports different quality of**

service in each flow where shaper-schedulers maintain these flows has to have a

selection indicator which can be stored in the FQCB. Column 13, Lines 15-21 and

Column 15, Lines 40-45); responsive to the selection indicator, checking the calendar

next time valid bit **(Column 35, Lines 20-32)**; responsive to the calendar next time valid

bit being on, comparing a calendar next time with a current time **(Column 36, Lines 53-**

67;Figure 33);

and responsive to the calendar next time being less than the current time,

turning off the calendar next time valid bit to mark the calendar next time

as invalid **(Column 35, Lines 50-67 and Column 36, Lines 53-67, and Figure 33)**..

8.   Regarding **claims 5-8**, Chao teaches a scheduling method for implementing

Quality-of-Service (QoS) scheduling of a plurality of flows with aging time stamps as

discussed in the rejection of claims 1. Further Chao discloses a validity bit for the

calendar time accessed from memory and if the bit is off the current time is used and if

the bit is on then the next time calendar value belonging to the previous frame and stored in memory is retrieved and used. **(Column 35, Lines 50-67 and Column 36, Lines 53-67, and Figure 33)**

Chao, however, fairs to expressly disclose that the different flows can be attached to different calendars such as Low Latency Service (LLS), Normal Latency Service (NLS), Peak Bandwidth Service (PBS), and Weighted Fair Queue (WFQ).

Duckering discloses a scheduling method for implementing Quality-of-Service (QoS) scheduling of a plurality of flows with aging time stamps wherein the target calendar can be PBS, LLS, NLS, and WFQ. **(First PBS, NLS, and LLS are simply quality of services that reflect traffic type, service category, and delay requirements for a particular Quality of Service. Duckering discloses the different quality of services that match PBS, NLS, and LLS and that are widely used in the art. Duckering further discloses traffic shapers using calendars based on these quality of services and also a WFQ calendar. See Figures 1, 2, and 3 and Column 4, Lines 1-35 and 57-67 and Column 5, Lines 10-21.)**

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Chao's apparatus to incorporate a method of attaching to different calendars based on different QoS. The motivation is to provide different level of services with guaranteed QoS for each level while maintaining some form of fairness which is the issue addressed by both Chao **(Column 13, Lines 15-21 and Column 15, Lines 40-45)** and Duckering **(Column 3, Lines 5-30)**.

9.   Regarding **claims 12-18**, Chao teaches a scheduling method for implementing

Quality-of-Service (QoS) scheduling of a plurality of flows with aging time stamps as

discussed in the rejection of claims 1. Further Chao discloses a validity bit for the

calendar time accessed from memory and if the bit is off the current time is used and if

the bit is on then the next time calendar value belonging to the previous frame and

stored in memory is retrieved and used. **(Column 35, Lines 50-67 and Column 36,**

Lines 53-67, and Figure 33)

Chao, however, fairs to expressly disclose that the different flows can be

attached to different calendars such as Low Latency Service (LLS), Normal Latency

Service (NLS), Peak Bandwidth Service (PBS), and Weighted Fair Queue (WFQ).

Duckering discloses a scheduling method for implementing Quality-of-Service

(QoS) scheduling of a plurality of flows with aging time stamps wherein the target

calendar can be PBS, LLS, NLS, and WFQ. **(First PBS, NLS, and LLS are simply**

quality of services that reflect traffic type, service category, and delay

requirements for a particular Quality of Service. Duckering discloses the different

quality of services that match PBS, NLS, and LLS and that are widely used in the

art. Duckering further discloses traffic shapers using calendars based on these

quality of services and also a WFQ calendar. See Figures 1, 2, and 3 and Column

4, Lines 1-35 and 57-67 and Column 5, Lines 10-21.)

It would have been obvious to one having ordinary skill in the art at the time the

invention was made to modify Chao's apparatus to incorporate a method of attaching to

different calendars based on different QoS.   The motivation is to provide different level

of services with guaranteed QoS for each level while maintaining some form of fairness

which is the issue addressed by both Chao **(Column 13, Lines 15-21 and Column 15,**

Lines 40-45) and Duckering **(Column 3, Lines 5-30)**.

10.   **Claims 9-11 and 20** are rejected under 35 U.S.C. 103(a) as being unpatentable

over Chao et al (US 6, 081, 507), hereinafter referred to as Chao, in view of Tayyar et al

(US Pub. No. 2003/0050954), hereinafter referred to as Tayyar and in view of Duckering

et al (US 6, 721, 325), hereinafter referred to as Duckering.

11.   Regarding **claim 9**, Chao discloses a scheduler for implementing Quality-of-

Service (QoS) scheduling of a plurality of flows with aging time stamps **(Column 1,**

Lines 15-20, Column 18, Lines 28-42) comprising:

a time stamp aging memory array for storing a set of indicator bits and time stamp data

for each of the plurality of flows **(Column 35, Lines 50-67 and Column 36, Lines 53-**

67, and Figure 33); the set of indicator bits including a calendar selector and at least

one calendar next time valid bit **(Column 35, Lines 50-67 and Column 36, Lines 53-**

67, and Figure 33); a memory manager for sequentially accessing a subset of time

stamp data from a time stamp aging memory array**(Since Chao's memory is an off-**

chip external RAM memory there has to be a memory manager); each time stamp

data subset containing time stamp data for a sub plurality of flows **(See Figure 33)**; the

memory manager for performing guaranteed aging processing steps for each flow in

each time stamp data subset to identify and mark invalid calendar next time values,

queue manager for identifying a new frame arrival for an empty flow **(Column 35, Lines**

20-32); the memory manager responsive to the new frame arrival for the empty flow for

accessing time stamp data from a flow queue control block (FQCB) for the flow and the

time stamp data in the time stamp aging memory array **(Figure 17, step 1740, Column**

23, Lines 1-20); the memory manager responsive to the identified new frame arrival for

the empty flow, for identifying a target calendar for attaching the flow **(Column 23,**

Lines 1-20); the memory manager responsive to the identified target calendar, for

checking the target calendar next time valid bit of the time stamp aging memory array

data for the flow **(Column 36, Lines 53-67)**; the memory manager responsive to the

target calendar next time valid bit being on, for comparing a target calendar next time

value from the flow queue control block (FQCB) for the flow with a current time

(Column 36, Lines 53-67); the memory manager responsive to the target calendar

next time being less than the current time, for turning off the target calendar next time

valid bit to mark the target calendar next time as invalid **(Column 35, Lines 50-67 and**

Column 36, Lines 53-67, and Figure 33).

Chao, however, fails to expressly disclose the presence of a queue manager.

Tayyar discloses a weighted fair queuing scheduler.

Tayyar discloses a queue manager in his scheduling apparatus. Timestamper 18

in Figure 1 manages the queues. **(Column 3, Paragraph 44)**

It would have been obvious to one having ordinary skill in the art at the time the

invention was made to modify Chao's apparatus to incorporate a queue manager.

The motivation is that Chao uses a weighted fair queuing scheduler with different

queues associated with different QoS and the queues need to be managed and Tayyar

provides a scheduler with a queue manager.

Chao discloses each flow being attached to a calendar queue as illustrated in

Figures 14 as well as in Column 20, Lines 65-67 and in Figure 27 as well as Column

31, Lines 17-38. Chao, however, fails to expressly disclose the existence of different

calendars. Chao also fails to expressly disclose that each flow being attached to at

least one of a plurality of calendars including a low latency service (LLS)/normal

latency service (NLS), a peak bandwidth service (PBS) and a weighted fair queue

(WFQ) ring; the LLS, NLS, and PBS calendars being time based; the weighted fair

queue (WFQ) ring being weight based.

Duckering teaches a scheduling method for implementing Quality-of-Service

(QoS) scheduling of a plurality of flows with different calendars. Duckering discloses

that each flow being attached to at least one of a plurality of calendars including a low

latency service (LLS)/normal latency service (NLS), a peak bandwidth service (PBS)

and a weighted fair queue (WFQ) ring; the LLS, NLS, and PBS calendars being time

based; the weighted fair queue (WFQ) ring being weight based. **(First PBS, NLS, and**

LLS are simply quality of services that reflect traffic type, service category, and

delay requirements for a particular Quality of Service. Duckering discloses the

different quality of services that match PBS, NLS, and LLS and that are widely

used in the art. Duckering further discloses traffic shapers using calendars

based on these quality of services and also a WFQ calendar. See Figures 1, 2,

and 3 and Column 4, Lines 1-35 and 57-67 and Column 5, Lines 10-21.)

It would have been obvious to one having ordinary skill in the art at the time the

invention was made to modify Chao's apparatus to incorporate a method of attaching

to different calendars based on different QoS. The motivation is to provide different level of services with guaranteed QoS for each level while maintaining some form of fairness which is the issue addressed by both Chao **(Column 13, Lines 15-21 and Column 15, Lines 40-45)** and Duckering **(Column 3, Lines 5-30)**. Further motivation is that Chao discloses a "calendar queue" method in Column 16, in Lines 24-26 but does not elaborate what the method entails while Duckering the method of constructing a calendar queue can be based on time and weight.

12. Regarding **claim 10**, Chao discloses a scheduler for implementing Quality-of-Service (QoS) scheduling of a plurality of flows with aging time stamps wherein the memory coupled to the queue manager for storing a flow queue control block (FQCB) for each of the plurality of flows includes an external static random access memory (SRAM). **(Chao shows his is an improvement over previous systems internal memory on the chip housing the scheduler and his system uses off-chip memory. See Column 16, Lines 55-63)**

13. Regarding **claim 11**, Chao discloses a scheduler for implementing Quality-of-Service (QoS) scheduling of a plurality of flows with aging time stamps wherein the time stamp aging memory array includes an internal memory array. **(Chao shows his is an improvement over previous systems internal memory on the chip housing the scheduler and his system uses off-chip memory. See Column 16, Lines 55-63)**

14. Regarding **Claim 20**, Chao discloses a computer program product for implementing Quality-of-Service (QoS) scheduling of a plurality of flows with aging time stamps in a scheduler wherein the instructions, when executed by the scheduler,

cause the scheduler to perform the steps of storing the flow queue control

block (FQCB) for each of the plurality of flows in an external memory**(Column 18, Lines

28-32; Column 16, Lines 55-63 and Figure 33)**; and storing a set of indicator bits and

time stamp data for each of the plurality of flows in a time stamp aging memory array,

the set of indicator bits including the selector indicator and the calendar next time valid

bit **(Column 36, Lines 60-67 and Figure 33)**.

Response to Arguments

15.   Applicant's arguments filed 28 November 2005 have been fully considered but

they are not persuasive.

16.   Applicant, in the Remarks on page 16 in the last paragraph, with respect to

claims 1, 9, and 19, argues that the rejection provided does not address the step of a

memory manager or a queue manager for manipulating the time stamp aging memory

array and the scheduler's queues. Examiner respectfully disagrees with Applicant's

conclusions. First and foremost, neither the memory manager nor the queue manager

was claimed in claims 1 and 19. Second, in claim 9 the memory manager and the

queue manager were claimed and appropriate rejections were provided. The Examiner

indicated in the previous Office Action in the rejection of claim 9 that a memory manger

is inherent to Chao's system and provided a reasoning to support the inherency of

memory manager. Applicant has not argued why such an entity cannot be inherent and

has not provided an adequate response to the previous rejection and hence the same

rejection is maintained. Third, Examiner clearly indicated in the rejection of claim 9 that

Chao fails to teach a Queue Manager and uses Tayyar to teach a Queue Manager.

The Examiner has provided sufficient motivation to combine Chao and Tayyar and notes that the Applicant has not challenged the appropriate motivation provided.

17.   Applicant, in the Remarks on page 18 in the last paragraph, argues by simply reciting the different limitations of claims 1, 9, and 19 and indicating Chao fails to disclose these limitations. Examiner respectfully disagrees with Applicant's conclusion. All the limitations recited by the Applicant have been adequately addressed in the rejections of claims 1, 9, and 19. For instance, Applicant argues in the last paragraph, on page 18, in lines 8-10, that Chao does not disclose nor suggest a set of indicator bits as claimed by the Applicant. However Applicant admits in the same paragraph in line 7 that Chao teaches storing an obsolete indicator. This is apparently contradictory. Chao teaches in Column 36, lines 60-61, that the obsolete indicator O_i is stored in the Look-Up Table, which is equivalent to the Applicant's Flow Queue Control Block (FQCB). It is the position of the Examiner that in a similar manner all the limitations of these claims are addressed in the rejections provided.

Conclusion

18.   **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the mailing date of this final action.

19.   The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

The following US Patent describes the state of the art time based and weight

based Calendar Queues:

US Patent (6389019) to Fan et al

20.   Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Habte Mered whose telephone number is 571 272 6046.

The examiner can normally be reached on Monday to Friday 9:30AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Hassan Kizou can be reached on 571 272 3088. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

HM
02-07-2006

JOHN PEZZLO
PRIMARY EXAMINER